# Patio Door Aluminium



### **Cortizo Aluminium Patio Doors**


With Cortizo sliding doors, fabricated by Glazerite, you have access to a premium product that's easy to sell and fit.

With ultra-slim 35mm sightlines, large sash sizes, and a tripletrack option, they deliver the expansive views and seamless indoor-outdoor living homeowners and developers are looking for.


Their advanced thermal performance (U-values as low as 1.2 W/ m<sup>2</sup>K) and an acoustic reduction of up to 40 dB means they meet stringent regulations whilst adding comfort and value to any property. Cortizo doors provide you with a high-quality, futureproof solution that sets you apart in the market.







### **Product Performance Data**



Key	Key Features		
Thre	shold Height	48mm	
Glaz	ing Thickness	24-36mm	
Glaz	ing options	Double or Triple	
Sigh	tline (typical)	35mm	
Fran	ne depth - 2 rail	70mm	
Fran	ne depth - 3 rail	126mm	

Performance	
U-Value	from 1.2
Air Permeability	Class 4
Water Tightness	Class 7a
Wind Resistance	Class C5
Enhanced Security	Multi point locking
Maximum Accoustic Insulation	45 dB Rw

Size Limits		
Maximum Panel Width	2200mm	
Maximum Panel Height	2600mm	
Maximum Panel Weight	240kg	

# **Colour Options**



Black RAL 9005 M



White RAL 9016 G



Anthracite Grey RAL 7016 M

Give homeowners full design freedom with the complete RAL palette, exclusive powder-coated and textured finishes, over 100 anodised options, and dual-colour combinations to suit any style.

Bespoke colours are available upon request.

### £5000 break in guarantee

The Ultion 3 star ALPS cylinder is fitted to your doors offering you another advantage against the competition. Peace of mind for your customers with the Ultion £5000 guarantee, payable in the unlikely event entry is gained by an intruder through the cylinder.



#### Weather Resistant

High performance multiple gaskets keep the warmth in and the weather out. Reducing callbacks as a result of weather performance.



#### Bring the outdoors in

35mm interlock and sash sizes up to 2.2 x 2.6m maximise the glass area. Combined with multiple sliding doors



#### Safe and secure

Manufactured to PAS24:2022, with a multi-point lock.



70mm Frame replacement



to open up spaces further



configurations

Choose from doors to slide or four pane





Internal or external sliding sashes



**()** triple glazing

### **Sliding door configurations**







## Win more projects with a premium solution thats stylish, efficient and secure







#### **Thermal Performance**

Exceeds building regulations and Future Home standard requirements.

### Flexible Configuration

Choose from 1 to 3 rails and up to 6 sashes for specific project needs.

#### Easy Sell

A premium product that combines style, performance and security.

#### **Expansive Views**

35mm interlock offers slim sightlines, maximising glazed area.



Scan for more informatio<u>n</u>





**Glazerite UK Group Ltd** 39-43 Rixon Road, Finedon Road Ind. Estate, Wellingborough, NN8 4BA

(01933) 443222 sales@glazerite.net www.glazerite.co.uk